



SEQUENCE LISTING

RECEIVED

AUG 15 2001

TECH CENTER 1600/2900

<110> Heller, Michael J.
Windhab, Norbert
Anderson, Richard R.
Ackley, Donald E.
Nova, Tina S.
Hoppe, Hans-Ullrich
Hamon, Christian

<120> MICROELECTRONIC MOLECULAR DESCRIPTOR ARRAY DEVICES, METHODS,
PROCEDURES, AND FORMATS FOR COMBINATORIAL SELECTION OF INTERMOLECULAR
LIGAND BINDING STRUCTURES AND FOR DRUG SCREENING

<130> Patrick Eagleman: Nanogen 241/172

<140> 09/374,338

<141> 1999-08-13

<160> 31

<170> PatentIn version 3.0

<210> 1

<211> 7

<212> DNA

<213> Artificial Sequence

<220>

<223> Synthetic test construct

<220>

<221> modified_base

<222> (1)..(7)

<223> Entire sequence is Pyranosyl RNA

<220>

<221> modified_base

<222> (1)..(1)

<223> Base 1 is tryptamine

<220>

<221> modified_base

<222> (7)..(7)

<223> Base 7 is modified with Texas Red

<400> 1

ngaaggg

7

<210> 2

<211> 14

<212> DNA

<213> Artificial Sequence

<220>

<223> Synthetic test construct

<220>
<221> modified_base
<222> (1)..(14)
<223> Entire sequence is Pyranosyl RNA

<220>
<221> modified_base
<222> (1)..(1)
<223> Base 1 is modified with Biotin

<220>
<221> modified_base
<222> (8)..(8)
<223> Base 8 is tryptamine

<400> 2
cccttctncc cccg

14

<210> 3
<211> 7
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic test construct

<220>
<221> modified_base
<222> (1)..(7)
<223> Entire sequence is Pyranosyl RNA

<220>
<221> modified_base
<222> (1)..(1)
<223> Base 1 is modified with Cyanine-3 flourescent dye

<220>
<221> modified_base
<222> (7)..(7)
<223> Base 7 is tryptamine

<400> 3
cgggggn

7

<210> 4
<211> 7
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic test construct

<220>
<221> modified_base
<222> (1)..(7)
<223> Entire sequence is Pyranosyl RNA

<220>
<221> modified_base
<222> (3)..(3)
<223> Base 3 is tryptamine

<220>
<221> modified_base
<222> (4)..(4)
<223> Base 4 is tryptamine

<220>
<221> modified_base
<222> (5)..(5)
<223> Base 5 is tryptamine

<400> 4
ccnnngg

7

<210> 5
<211> 7
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic test construct

<220>
<221> modified_base
<222> (1)..(7)
<223> Entire sequence is Pyranosyl RNA

<220>
<221> modified_base
<222> (1)..(1)
<223> Base 1 modified with Fluorophore

<220>
<221> modified_base
<222> (7)..(7)
<223> Base 7 modified with a Peptide

<220>
<221> modified_base
<222> (7)..(7)
<223> Base 7 is tryptamine

<400> 5
cggggggn

7

<210> 6
<211> 8
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic test construct

<220>
<221> modified_base
<222> (1)..(8)
<223> Entire sequence is Pyranosyl RNA

<220>
<221> modified_base
<222> (1)..(1)
<223> Base 1 modified with a Peptide

<220>
<221> modified_base
<222> (1)..(1)
<223> Base 1 is tryptamine

<220>
<221> modified_base
<222> (8)..(8)
<223> Base 8 is any nucleotide

<400> 6
ngaagggn

8

<210> 7
<211> 14
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic test construct

<220>
<221> modified_base

<222> (1)..(14)
<223> Entire sequence is Pyranosyl RNA


<220>
<221> modified_base
<222> (1)..(1)
<223> Base 1 modified with Biotin

<220>
<221> modified_base
<222> (7)..(7)
<223> Base 7 is tryptamine

<220>
<221> modified_base
<222> (7)..(8)
<223> Bases 7 and 8 are modified by Peptide connection.

<400> 7
cccttcntcc cccg

14



<210> 8
<211> 6
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic test construct

<220>
<221> PEPTIDE
<222> (1)..(1)
<223> 1st amino acid is modified with pyranosyl RNA

<400> 8

Cys Leu Ser Leu Glu Gly
1 5

<210> 9
<211> 6
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic test construct

<220>
<221> PEPTIDE
<222> (1)..(1)
<223> 1st amino acid is modified with pyranosyl RNA

<400> 9

Cys Ser Leu Glu Ser Gly
1 5

<210> 10

<211> 6

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic test construct

<220>

<221> PEPTIDE

<222> (1)..(1)

<223> 1st amino acid is modified with pyranosyl RNA

<400> 10

Cys Leu Leu Ser Glu Gly
1 5

<210> 11

<211> 6

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic test construct

<220>

<221> PEPTIDE

<222> (1)..(1)

<223> 1st amino acid is modified with pyranosyl RNA

<400> 11

Cys Ser Arg Ser Arg Gly
1 5

<210> 12

<211> 6

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic test construct

<220>

<221> PEPTIDE

<222> (1)..(1)

<223> 1st amino acid is modified with pyranosyl RNA

<400> 12

Cys Ser Arg His Arg Gly
1 5

<210> 13

<211> 6

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic test construct

<220>

<221> PEPTIDE

<222> (1)..(1)

<223> 1st amino acid is pyranosyl RNA

<400> 13

Cys His Arg Tyr Arg Gly
1 5

<210> 14

<211> 6

<212> DNA

<213> Artificial Sequence

<220>

<223> Synthetic test construct

<220>

<221> modified_base

<222> (1)..(6)

<223> Entire sequence is pyranosyl RNA

<400> 14

cccggg

6

<210> 15

<211> 7

<212> DNA

<213> Artificial Sequence

<220>

<223> Synthetic test construct

<220>

<221> modified_base

<222> (1)..(7)

<223> Entire sequence is pyranosyl RNA

<220>

<221> modified_base

<222> (4)..(4)

<223> Base 4 is tryptamine

<400> 15

cccnggg

7

<210> 16

<211> 8

<212> DNA

<213> Artificial Sequence

<220>

<223> Synthetic test construct

<220>

<221> Modified_base

<222> (1)..(8)

<223> Entire sequence is pyranosyl RNA

<220>

<221> Modified_base

<222> (4)..(4)

<223> Base 4 is tryptamine

<220>

<221> Modified_base

<222> (5)..(5)

<223> Base 5 is tryptamine

<400> 16

cccnggg

8

<210> 17

<211> 8

<212> DNA

<213> Artificial Sequence

<220>

<223> Synthetic test construct

<220>

<221> modified_base

<222> (1)..(8)

<223> Entire sequence is pyranosyl RNA

<220>
<221> modified_base
<222> (3)..(3)
<223> Base 3 is tryptamine

<220>
<221> modified_base
<222> (6)..(6)
<223> Base 6 is tryptamine

<400> 17
ccncgngg

8

<210> 18
<211> 7
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic test construct

<220>
<221> modified_base
<222> (1)..(7)
<223> Entire sequence is pyranosyl RNA

<220>
<221> modified_base
<222> (2)..(2)
<223> Base 2 is tryptamine

<220>
<221> modified_base
<222> (4)..(4)
<223> Base 4 is tryptamine

<220>
<221> modified_base
<222> (6)..(6)
<223> Base 6 is tryptamine

<400> 18
cncngng

7

<210> 19
<211> 8
<212> DNA
<213> Artificial Sequence

<220>

<223> Synthetic test construct

<220>

<221> modified_base

<222> (1)..(8)

<223> Entire sequence is pyranosyl RNA

<220>

<221> modified_base

<222> (4)..(4)

<223> Base 4 is tryptamine

<220>

<221> modified_base

<222> (5)..(5)

<223> Base 5 is tryptamine

<220>

<221> modified_base

<222> (4)..(5)

<223> Base 4 and 5 is modified by thioester linkage to Seq. ID No. 20

<400> 19

cccnnggg

8

<210> 20

<211> 6

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic test construct

<400> 20

Cys Phe Pro Tyr Trp Gly

1

5

<210> 21

<211> 6

<212> DNA

<213> Artificial Sequence

<220>

<223> Synthetic test construct

<220>

<221> modified_base

<222> (1)..(6)

<223> Entire sequence is pyranosyl RNA

<220>
<221> modified_base
<222> (1)..(1)
<223> Base 1 is tryptamine


<400> 21
ngaagg

6

<210> 22
<211> 6
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic test construct

<220>
<221> modified_base
<222> (1)..(6)
<223> Entire sequence is pyranosyl RNA

 <220>
<221> modified_base
<222> (6)..(6)
<223> Base 6 is tryptamine

<400> 22
gggggn

6

<210> 23
<211> 11
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic test construct

<220>
<221> modified_base
<222> (1)..(11)
<223> Entire sequence is pyranosyl RNA

<220>
<221> modified_base
<222> (6)..(6)
<223> Base 6 is tryptamine

<400> 23
ccttcncccc c

11

<210> 24
<211> 6
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic test construct

<400> 24

Cys His His His His Gly
1 5

<210> 25
<211> 6
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic test construct

<400> 25

Cys Phe Pro Ser Phe Gly
1 5

<210> 26
<211> 7
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic test construct

<220>
<221> modified_base
<222> (1)..(7)
<223> Entire sequence is pyranosyl RNA

<220>
<221> modified_base
<222> (7)..(7)
<223> Base 7 is modified with Cyanine3

<220>
~~<221> modified_base~~
<222> (7)..(7)
<223> Base 7 is tryptamine

<400> 26
cgggggn

<210> 27
<211> 11
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic test construct

<220>
<221> modified_base
<222> (1)..(11)
<223> Entire sequence is pyranosyl RNA

<220>
<221> modified_base
<222> (1)..(1)
<223> Base 1 is modified with Biotin

<220>
<221> modified_base
<222> (6)..(6)
<223> Base 6 is tryptamine

<400> 27
ccttcncccc c

11

<210> 28
<211> 9
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic test construct

<220>
<221> modified_base
<222> (1)..(9)
<223> Entire sequence is pyranosyl RNA

<220>
<221> modified_base
<222> (1)..(1)
<223> Base 1 is tryptamine

<220>
<221> modified_base
<222> (1)..(1)
<223> Base 1 is modified with Biotin

<400> 28
ngggaaggg


9

<210> 29
<211> 8
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic test construct

<220>
<221> modified_base
<222> (1)..(8)
<223> Entire sequence is pyranosyl RNA

<220>
<221> modified_base
<222> (1)..(1)
<223> Base 1 is modified with Biotin


<400> 29
cccttccc

8

<210> 30
<211> 8
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic test construct

<220>
<221> modified_base
<222> (1)..(8)
<223> Entire sequence is pyranosyl RNA

<220>
<221> modified_base
<222> (1)..(1)
<223> Base 1 is modified with Biotin

<220>
<221> modified_base
<222> (7)..(7)
<223> Base 7 is tryptamine

<400> 30
taggcant

8

<210> 31
<211> 8
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic test construct

<220>
<221> modified_base
<222> (1)..(8)
<223> Entire sequence is pyranosyl RNA

<220>
<221> modified_base
<222> (1)..(1)
<223> Base 1 is modified with Biotin

<220>
<221> modified_base
<222> (2)..(2)
<223> Base 2 is tryptamine

<400> 31
antgccta